

ELEMENTi®

UNO



# UNO

---

UNO



Modern yet timeless, the cylindrical forms of the Uno collection unite to create a modern range of minimalist tapware, available in five popular finishes.

The addition of the Uno Etch handle offers an industrial aesthetic, with the cross cut texture providing additional grip for easier operation.

UNO ETCH



Uno Basin Mixer  
Finish: Brushed Nickel

Uno Extended Height Basin Mixer  
Finish: Black



# UNO

## UNO BASIN MIXER

35MM CARTRIDGE  
INCLUDES BASE RING  
LOW/UNEQUAL PRESSURE:  
WELS 6 STAR 4.5 L/MIN  
MAINS PRESSURE:  
WELS 5 STAR 5.5 L/MIN

CHROME:  
43951.02



BRUSHED  
NICKEL:  
43951.04



GUN  
METAL:  
43951.29



BLACK:  
43951.13



BRUSHED  
BRASS:  
43951.07



## UNO EXTENDED HEIGHT BASIN MIXER

35MM CARTRIDGE  
INCLUDES BASE RING  
LOW/UNEQUAL PRESSURE:  
WELS 6 STAR 4.5 L/MIN  
MAINS PRESSURE:  
WELS 5 STAR 5.5 L/MIN

CHROME:  
43952.02



BRUSHED  
NICKEL:  
43952.04



GUN  
METAL:  
43952.29



BLACK:  
43952.13



BRUSHED  
BRASS:  
43952.07



## UNO WALL MOUNTED BASIN MIXER

35MM CARTRIDGE  
MAINS PRESSURE:  
WELS 4 STAR 7 L/MIN

**NOTE:**  
HANDLE POSITION  
CAN BE INSTALLED  
FACING UPRIGHT  
OR DOWNWARDS.

CHROME:  
43955.02



BRUSHED  
NICKEL:  
43955.04



GUN  
METAL:  
43955.29



BLACK:  
43955.13



BRUSHED  
BRASS:  
43955.07



**UNO WALL MOUNTED BATH MIXER**

35MM CARTRIDGE

**NOTE:**  
HANDLE POSITION CAN BE INSTALLED FACING UPRIGHT OR DOWNWARDS.



CHROME:  
43956.02

BRUSHED NICKEL:  
43956.04



BLACK:  
43956.13



GUN METAL:  
43956.29



BRUSHED BRASS:  
43956.07



**UNO BATH SPOUT**

Ø15MM X 221MM  
WALL MOUNTED  
FEMALE



CHROME:  
41008.02

BRUSHED NICKEL:  
41008.04



BLACK:  
41008.13



GUN METAL:  
41008.29



BRUSHED BRASS:  
41008.07



**UNO BATH COLUMN**

40MM CARTRIDGE  
MAINS PRESSURE:  
WELS 3 STAR 8L/MIN



CHROME:  
42985.02

BRUSHED NICKEL:  
42985.04




BLACK:  
42985.13



GUN METAL:  
42985.29



BRUSHED BRASS:  
42985.07



**PRECISE TEMPERATURE CONTROL**

The Uno bath column uses a Progressive Cartridge and Intelligent Valve Technology (IVT) to adjust the water temperature with one rotational motion for precise temperature control.

Lead Free\*\*

\*\*Complies to the international standard for Lead Free faucets (0.25% or less).

\*All guarantees are subject to terms and conditions and available at:  
[robertson.co.nz/warranties](http://robertson.co.nz/warranties)



UNO

Uno Bath Column  
Finish: Gun Metal



ELEMENTI®

---

Uno Wall Mounted Basin Mixer  
Finish: Brushed Brass



# UNO

## UNO SHOWER MIXER

Ø115  
MULTI-PRESSURE  
40MM CARTRIDGE

CHROME:  
42970.02



BRUSHED  
NICKEL:  
42970.04



GUN  
METAL:  
42970.29



BLACK:  
42970.13



BRUSHED  
BRASS:  
42970.07



## UNO SHOWER MIXER

Ø90  
MAINS PRESSURE  
40MM CARTRIDGE

CHROME:  
43370.02



BRUSHED  
NICKEL:  
43370.04



GUN  
METAL:  
43370.29



BLACK:  
43370.13



BRUSHED  
BRASS:  
43370.07



NEW

## UNO SHOWER MIXER

Ø65  
MAINS PRESSURE  
35MM METAL STEM  
CARTRIDGE

CHROME:  
43670.02



BRUSHED  
NICKEL:  
43670.04



GUN  
METAL:  
43670.29



BLACK:  
43670.13



BRUSHED  
BRASS:  
43670.07



## UNO DIVERTER MIXER

Ø140  
MAINS PRESSURE  
40MM CARTRIDGE

CHROME:  
42971.02



BRUSHED  
NICKEL:  
42971.04



GUN  
METAL:  
42971.29



BLACK:  
42971.13



BRUSHED  
BRASS:  
42971.07




## MULTI-PRESSURE SHOWER VALVE

Elementi shower mixers also feature a multi-pressure valve that has been designed for New Zealand water pressures. It can easily be adjusted to balance your hot or cold flow rates, making the most of all your water flow to improve your showering experience.



## 30MM ADJUSTMENT RANGE

The Mains Pressure shower mixer features a 30mm adjustment range allowing for different installation requirements and thickness of wall/cladding materials.



## OPTIONAL 13MM EXTENSION KIT

43mm of adjustment (to the back of faceplate) can be achieved using the 13mm extension kit. Code: **43472.00**



**Note:** Compatible with 40mm Mains Pressure Valve only.



## UNO PROGRESSIVE SHOWER MIXER

Ø90 / MAINS PRESSURE  
INCLUDES ROUND AND  
SQUARE FACEPLATE  
40MM CARTRIDGE



CHROME:  
43470.02




BRUSHED  
NICKEL:  
43470.04



BLACK:  
43470.13



GUN  
METAL:  
43470.29



BRUSHED  
BRASS:  
43470.07



## FEATURES

4 mounting points

DZR brass

15mm male threaded connections

Round and square face plate included

Reduced body size with 90mm faceplate

New adhesive faceplate seal

OFF (Cold)

Hot

Up to 30mm adjustment from finished wall to back of faceplate

Family friendly with cold start when first turned on to protect user against injuries from hot water and avoid the risk of scalding.

Generic handle complements all faucet designs


Etched textured handle

Using Intelligent Valve Technology (IVT), water temperature is adjusted by one rotational motion for precise temperature control. Hot, Warm and Off indication marked on faceplate.

**Note:** The cartridge and handle can be changed to create a lever handle volume and temperature mixer.

## 30MM ADJUSTMENT RANGE

The Mains Pressure shower mixer features a 30mm adjustment range allowing for different installation requirements and thickness of wall/cladding materials.



## OPTIONAL 13MM EXTENSION KIT

43mm of adjustment (to the back of faceplate) can be achieved using the 13mm extension kit. Code: **43472.00**

**Note:** Compatible with 40mm Mains Pressure Valve only.




# UNO ETCH

---

## ETCHED HANDLE

An etched handle gives Uno Etch tapware an industrial aesthetic with the cross cut texture also providing additional grip for easier operation.



Uno Etch Extended Height Basin Mixer  
Finish: Gun Metal



Uno Etch Basin Mixer  
Finish: Brushed Brass



# UNO ETCH

---

## UNO ETCH BASIN MIXER

INCLUDES BASE RING  
35MM CARTRIDGE  
LOW/UNEQUAL PRESSURE:  
WELS 6 STAR 4.5 L/MIN  
MAINS PRESSURE:  
WELS 5 STAR 5.5 L/MIN

BRUSHED  
NICKEL:  
**41651.04**



GUN  
METAL:  
**41651.29**



BLACK:  
**41651.13**



BRUSHED  
BRASS:  
**41651.07**



## UNO ETCH EXTENDED HEIGHT BASIN MIXER

INCLUDES BASE RING  
35MM CARTRIDGE  
LOW/UNEQUAL PRESSURE:  
WELS 6 STAR 4.5 L/MIN  
MAINS PRESSURE:  
WELS 5 STAR 5.5 L/MIN

BRUSHED  
NICKEL:  
**41652.04**



GUN  
METAL:  
**41652.29**



BLACK:  
**41652.13**



BRUSHED  
BRASS:  
**41652.07**



## UNO ETCH WALL MOUNTED BASIN MIXER

35MM CARTRIDGE  
MAINS PRESSURE:  
WELS 4 STAR 7 L/MIN

**NOTE:**  
HANDLE POSITION  
CAN BE INSTALLED  
FACING UPRIGHT  
OR DOWNWARDS.

BRUSHED  
NICKEL:  
**41656.04**



GUN  
METAL:  
**41656.29**



BLACK:  
**41656.13**



BRUSHED  
BRASS:  
**41656.07**



## UNO ETCH WALL MOUNTED BATH MIXER

35MM CARTRIDGE

**NOTE:**  
HANDLE POSITION  
CAN BE INSTALLED  
FACING UPRIGHT  
OR DOWNWARDS.

BRUSHED  
NICKEL:  
**41653.04**



GUN  
METAL:  
**41653.29**



BLACK:  
**41653.13**



BRUSHED  
BRASS:  
**41653.07**



**UNO ETCH  
SHOWER MIXER**

Ø115  
MULTI-PRESSURE  
40MM CARTRIDGE

BRUSHED  
NICKEL:  
41670.04



GUN  
METAL:  
41670.29



BLACK:  
41670.13



BRUSHED  
BRASS:  
41670.07



**UNO ETCH  
SHOWER MIXER**

Ø90  
MAINS PRESSURE  
40MM CARTRIDGE

BRUSHED  
NICKEL:  
41675.04



GUN  
METAL:  
41675.29



BLACK:  
41675.13



BRUSHED  
BRASS:  
41675.07



**UNO ETCH  
SHOWER MIXER**

Ø65  
MAINS PRESSURE  
35MM METAL STEM CARTRIDGE

BRUSHED  
NICKEL:  
44770.04



GUN  
METAL:  
44770.29



BLACK:  
44770.13



BRUSHED  
BRASS:  
44770.07



**UNO ETCH  
DIVERTER MIXER**

Ø140  
MAINS PRESSURE  
40MM CARTRIDGE

BRUSHED  
NICKEL:  
41680.04



GUN  
METAL:  
41680.29



BLACK:  
41680.13




BRUSHED  
BRASS:  
41680.07



**30MM  
ADJUSTMENT RANGE**

The Mains Pressure shower mixer features a 30mm adjustment range allowing for different installation requirements and thickness of wall/cladding materials.



**OPTIONAL 13MM  
EXTENSION KIT**

43mm of adjustment (to the back of faceplate) can be achieved using the 13mm extension kit. Code: **43472.00**



**Note:** Compatible with 40mm Mains Pressure Valve only.



# RIMLESS BACK TO WALL TOILETS

ELEMENTI

## UNO BTW CC TOILET SUITE

RIMLESS HYPER JET FLUSH

SET OUTS:

S PAN: 55-151MM

166-238MM WITH

OPTIONAL 12607.00 BEND

P PAN: 185MM

WELS 4 STAR

4.5 L PER FULL FLUSH

3 L PER HALF FLUSH

BOTTOM LEFT, BOTTOM RIGHT

& BACK INLET

GLOSS WHITE

VITREOUS CHINA



WITH ELEMENTI  
THIN SEAT:  
**14760.10**



WITH ELEMENTI  
THICK SEAT:  
**14766.10**



WITH PARISI D2  
SWAY SEAT:  
**14767.10**



### HYGIENIC RIMLESS DESIGN

There are no hard to reach areas with the new rimless design allowing easy cleaning with a single wipe.



### HYPER JET FLUSHING

Rimless flushing projects a jet of water rather than the traditional flushing mechanism where water pours down the rim. Through the powerful delivery of water maximum cleaning is achieved.



### SUPER CLEAN E-GLAZE TECHNOLOGY

Exclusive to Elementi, E-Glaze offers 5 layers of antibacterial glaze, reducing the accumulation of germs and bacteria.



### SWAY D2 SEAT

Made with durable materials and quality stainless steel hinges, Sway D2 toilet seats are made to last and designed to be functional and stylish with added comfort. Also featuring Soft Close, Slim profile, Easy Lift off hinges and Antibacterial Polygiene.

## ELEMENTI®

10 Year Guarantee\*

1 Year Guarantee on Seat/Cistern Parts\*

Hand Finished Vitreous China

E-Glaze Technology

Soft Close Seat System

Short Projection

Hyper Jet Flushing System

Hygienic Rimless Design

## PARISI

10 Year Guarantee (Sway D2 Seat)\*



Uno BTW CC Toilet Suite  
Uno Slide Shower  
Finish: Brushed Nickel

\*All guarantees are subject to terms  
and conditions and available at:  
[robertson.co.nz/warranties](http://robertson.co.nz/warranties)




# RIMLESS OVERHEIGHT & ACCESSIBLE BACK TO WALL TOILETS

ELEMENTI

## UNO OVERHEIGHT BTW CC TOILET SUITE

RIMLESS HYPER JET FLUSH  
 SET OUTS:  
 S PAN: 55-132MM  
 178-233MM WITH  
 OPTIONAL 12607.00 BEND  
 P PAN: 180MM  
 WELS 4 STAR:  
 4.5 L PER FULL FLUSH  
 3 L PER HALF FLUSH  
 BOTTOM LEFT, BOTTOM RIGHT  
 & BACK INLET  
 GLOSS WHITE  
 VITREOUS CHINA



640

ELEMENTI

## UNO ACCESSIBLE/OVERHEIGHT BTW CC TOILET SUITE

RIMLESS HYPER JET FLUSH  
 WELS 4 STAR:  
 4.5 L PER FULL FLUSH  
 3 L PER HALF FLUSH  
 BOTTOM LEFT, BOTTOM RIGHT  
 & BACK INLET  
 SET OUTS:  
 S PAN: 150-297  
 55-200MM WITH OPTIONAL  
 15020.10 BEND  
 P PAN: 180  
 COMPLIES WITH NZS 4121:2001  
 GLOSS WHITE  
 VITREOUS CHINA



720



## DESIGNED FOR ACCESSIBILITY

The Uno Accessible/Overheight is also available with a raised push button and coloured seat for those with visual impairment. Refer to page 243 for more information.



# ELEMENTI®

10 Year Guarantee\*  
 1 Year Guarantee on Seat/Cistern Parts\*  
 Hand Finished Vitreous China  
 E-Glaze Technology

Soft Close Seat System  
 Complies with NZS 4121:2001  
 Hyper Jet Flushing System  
 Hygienic Rimless Design

# PARISI

10 Year Guarantee (Sway D2 Seat)\*





Uno Overheight  
BTW CC Toilet Suite

\*All guarantees are subject to terms  
and conditions and available at:  
[robertson.co.nz/warranties](http://robertson.co.nz/warranties)



# BACK TO WALL TOILET PANS

ELEMENTI  
**UNO OVERHEIGHT  
 BACK TO WALL TOILET PAN**

WALL TOILET PAN  
 RIMLESS HYPER JET FLUSH  
 SET OUTS:  
 S PAN: 55-95MM  
 P PAN: 180MM  
 WELS 4 STAR:  
 4.5 L PER FULL FLUSH  
 3 L PER HALF FLUSH

WITH ELEMENTI  
 THIN SEAT:  
**14757.10**



WITH ELEMENTI  
 THICK SEAT:  
**14880.10**



WITH PARISI D2  
 SWAY SEAT:  
**14882.10**



ELEMENTI  
**UNO OVERHEIGHT/ACCESSIBLE  
 BACK TO WALL TOILET PAN**

RIMLESS HYPER JET FLUSH  
 SET OUTS:  
 S PAN: 310MM  
 P PAN: 180MM  
 WELS 4 STAR:  
 4.5 L PER FULL FLUSH  
 3 L PER HALF FLUSH  
 COMPLIES WITH  
 NZS 4121:2001  
 GLOSS WHITE  
 VITREOUS CHINA

WITH ELEMENTI  
 THIN SEAT:  
**14870.10**



WITH ELEMENTI  
 THICK SEAT:  
**14871.10**



WITH PARISI D2  
 SWAY SEAT:  
**14872.10**



WITH ELEMENTI  
 BLUE ACCESSIBLE  
 SEAT:  
**14878.10**



WITH ELEMENTI  
 WHITE ACCESSIBLE  
 SEAT:  
**14876.10**



WITH FRESCA  
 E-BIDET SEAT:  
**14870-BD.10**



**DESIGNED FOR  
 ACCESSIBILITY**

The Uno Accessible is also available with a coloured seat for those with visual impairment.

# KITCHEN MIXERS

## UNO SQUARE KITCHEN MIXER

35MM CARTRIDGE  
 INCLUDES BASE RING  
 SWIVEL SPOUT  
 FORWARD ROTATING LEVER  
 LOW/UNEQUAL PRESSURE:  
 WELS 4 STAR 7 L/MIN  
 MAINS PRESSURE:  
 WELS 5 STAR 5.5 L/MIN

CHROME:  
**43935.02**



BRUSHED NICKEL:  
**43935.04**



GUN METAL:  
**43935.29**



BLACK:  
**43935.13**



BRUSHED BRASS:  
**43935.07**



## UNO ETCH SQUARE KITCHEN MIXER

35MM CARTRIDGE  
 INCLUDES BASE RING  
 SWIVEL SPOUT  
 FORWARD ROTATING LEVER  
 LOW/UNEQUAL PRESSURE:  
 WELS 4 STAR 7 L/MIN  
 MAINS PRESSURE:  
 WELS 5 STAR 5.5 L/MIN

BRUSHED NICKEL:  
**41830.04**



GUN METAL:  
**41830.29**



BLACK:  
**41830.13**





BRUSHED BRASS:  
**41830.07**



## USER FRIENDLY

The Uno Square kitchen mixer is designed for efficiency in the kitchen environment with an ergonomic spout height of 237mm and 15 degree operating angle allowing ease of use for tasks like filling or washing large pans.



Uno Etch Square Kitchen Mixer  
 Finish: Brushed Nickel

**ELEMENTI**<sup>®</sup>

10 Year Guarantee\*

5 Year Coloured Finish Guarantee\*

Forward Rotating Lever  
 Mains Pressure

Multi Pressure  
 Flawless Finish

Swivel Spout  
 Lead Free\*\*

\*\*Complies to the international standard for Lead Free faucets (0.25% or less).

# KITCHEN MIXERS

## UNO KITCHEN MIXER

35MM CARTRIDGE  
 INCLUDES BASE RING  
 GOOSE NECK SWIVEL SPOUT  
 FORWARD ROTATING LEVER  
 LOW/UNEQUAL PRESSURE:  
 WELS 5 STAR 5.5 L/MIN  
 MAINS PRESSURE:  
 WELS 5 STAR 5.5 L/MIN

CHROME:  
**43930.02**



BRUSHED  
 NICKEL:  
**43930.04**



GUN  
 METAL:  
**43930.29**



BLACK:  
**43930.13**



BRUSHED  
 BRASS:  
**43930.07**



## UNO PULL OUT KITCHEN MIXER

35MM CARTRIDGE  
 INCLUDES BASE RING  
 GOOSE NECK  
 FORWARD ROTATING LEVER  
 SWIVEL SPOUT WITH  
 PULL OUT SPRAY  
 2 SPRAY OPTIONS:  
 STANDARD AND VEGE SPRAY  
 MAINS PRESSURE:  
 WELS 4 STAR 6.5 L/MIN

CHROME:  
**43931.02**



BRUSHED  
 NICKEL:  
**43931.04**



GUN  
 METAL:  
**43931.29**



BLACK:  
**43931.13**



BRUSHED  
 BRASS:  
**43931.07**



> **Uno Design Link:**



Tapware Page 150-157



Toilets Page 198, 206, 214, 236



Showers Page 266



Uno Pull Out Kitchen Mixer  
 Finish: Brushed Brass

### PULL OUT SPRAY

A pull-out spray increases operating radius of the mixer and offers different sprays. Uno kitchen mixers feature 2 spray options: Standard and Vege.

### FORWARD ROTATING LEVER

Clever handle temperature control rotates from upright to forward where the mixer is placed against a wall with limited space, ensuring the handle does not hit splash back.



**ELEMENTi**<sup>®</sup>

10 Year Guarantee\*  
 5 Year Coloured Finish Guarantee\*

Forward Rotating Lever  
 Mains Pressure

Multi Pressure  
 Flawless Finish Swivel Spout

Pull Out Spray  
 Lead-Free\*\*

\*\*Complies to the international standard for Lead Free faucets (0.25% or less).



Uno Pull Out Spray Kitchen Mixer  
Finish: Brushed Brass

Ball valves with integrated check stop  
Effortless Control

Easyclick Two Spray Patterns

\*All guarantees are subject to terms  
and conditions and available at:  
[robertson.co.nz/warranties](https://robertson.co.nz/warranties)



# SHOWERS

## UNO SLIDE SHOWER

C/W 1 FUNCTION HAND PIECE  
 RAIL LENGTH: 900MM  
 ADJUSTABLE FIXATION  
 LOW/UNEQUAL PRESSURE:  
 3 STAR 9 L/MIN  
 MAINS PRESSURE:  
 3 STAR 9 L/MIN



**AQUA AIR** Uno Handpiece

### Note:

Also includes Splash Plus 3 function handpiece

MAINS PRESSURE:  
 4 STAR 7.5 L/MIN

CHROME:  
**43960.02**



BRUSHED NICKEL:  
**43960.04**

GUN METAL:  
**43960.29**

BLACK:  
**43960.13**

BRUSHED BRASS:  
**43960.07**



## UNO REAR INLET COLUMN SHOWER

C/W 1 FUNCTION HAND PIECE  
 Ø250MM ROUND SHOWERHEAD  
 3 SHOWERING EXPERIENCES  
 EXTRA LONG 450MM REACH  
 LOW/UNEQUAL PRESSURE:  
 3 STAR 9 L/MIN  
 MAINS PRESSURE:  
 3 STAR 9 L/MIN



**AQUA AIR** Uno Handpiece

### Note:

Also includes Splash Plus 3 function handpiece

MAINS PRESSURE:  
 4 STAR 7.5 L/MIN

CHROME:  
**43962.02**



Bottom rear water inlet

BRUSHED NICKEL:  
**43962.04**

GUN METAL:  
**43962.29**

BLACK:  
**43962.13**

BRUSHED BRASS:  
**43962.07**



Uno Slide Shower  
Uno Shower Mixer  
Finish: Brushed Brass  
Hand & Body Wash



EleSpray  
DuraClass Slider

Flawless Finish  
Swiss Inspired

\*All guarantees are subject to terms  
and conditions and available at:  
[robertson.co.nz/warranties](http://robertson.co.nz/warranties)



25 Vestey Drive  
Mt Wellington, Auckland 1060

PO Box 14695, Panmure  
Auckland 1741, New Zealand

Ph: +64 9 573 0490  
Fax: +64 9 573 0495  
Email: sales@robertson.co.nz

**ROBERTSON.CO.NZ**



You can view and purchase our products nationwide from our supporting bathroom suppliers. To find your nearest location visit **ROBERTSON.CO.NZ** and click on the 'where to buy' link at the top of the page. Alternatively you can view products at our Robertson Bathware Showrooms at the locations below.

## SHOWROOMS

# A

### AUCKLAND

#### ROBERTSON

25 Vestey Drive, Mt Wellington  
Ph: (09) 573 0490

Open Monday to Friday 8.00am - 4.30pm  
Open Saturday 9.00am - 2.00pm  
Closed Sunday and public holidays

#### KITCHEN THINGS | LUXURY COLLECTION

26 Morrow Street, Newmarket  
Ph: (09) 522 8375

Open 7 days 10am - 6pm

# W

### WELLINGTON

#### ROBERTSON

23 Marion St, Te Aro  
Ph: (04) 595 1165

Open Monday to Friday 8.30am - 5pm  
Closed Saturday and Sunday

# C

### CHRISTCHURCH

#### HOME IDEAS

37 Mandeville Street Riccarton  
Ph: (03) 348 2863

Open Monday to Friday 9am - 4pm  
Saturday 10am - 2pm Sunday 10am - 2pm

robertson  
**design.ideas™**

#### ROBERTSON DESIGN IDEAS

Email: designideas@robertson.co.nz

**ROBERTSONDESIGNIDEAS.CO.NZ**



robertson®  
**trade**

#### ROBERTSON TRADE PARTS & SERVICE CENTRE

42 Vestey Drive  
Mt Wellington, Auckland 1060  
Email: trade@robertson.co.nz

**ROBERTSONTRADE.CO.NZ**



#### ROBERTSON OUTLET STORE

42 Vestey Drive  
Mt Wellington, Auckland 1060  
Email: outlet@robertson.co.nz  
By appointment only

[www.trademe.co.nz/stores/robertson-bathware-outlet-store](http://www.trademe.co.nz/stores/robertson-bathware-outlet-store)