


ANGLE VALVES &
CONNECTOR HOSES



ANGLE VALVES

SUPERIOR CHOICE

Using good quality angle valves is essential for ensuring the reliability and efficiency of plumbing systems. Elementi angle valves are designed to withstand high pressures and temperatures, reducing the risk of leaks and failures that can lead to costly water damage. They provide precise control over water flow, allowing for easy shut-off and maintenance without disrupting the entire system. Additionally, superior materials and craftsmanship improve durability, leading to longer service life and reduced need for frequent replacements. Overall, investing in quality angle valves enhances system performance, safety, and longevity, making them a crucial component in any plumbing installation.



ELEMENTI
DUO ANGLE VALVE
15MM FEMALE X 15MM MALE
& 20MM MALE

CODE: **AMD401**

FEATURES:

- Combination washing machine / mixer
- 1/4 turn ceramic headworks
- Lead Free DZR Brass
- Watermark Certified
- Non return valves
- Indicators
- Female: 15mm
- Male 15mm & 20mm
- Easily capped off when being serviced
- 5 Year Angle Valve Warranty*



ELEMENTI
ANGLE VALVE
15MM FEMALE SWIVEL X 15MM MALE

CODE: **AMD416**

FEATURES:

- Loose nut for ease of installation
- No tape / hemp required
- Captured washer
- Lead Free DZR Brass
- Watermark Certified
- Jumper Valve for control of flow
- Female: 15mm
- Male: 15mm
- 5 Year Angle Valve Warranty*



ELEMENTI
ANGLE VALVE
15MM FEMALE X 15MM MALE

CODE: **AMD409H**

FEATURES:

- Ergonomic handle
- Lead Free DZR Brass
- Watermark Certified
- Jumper Valve for control of flow
- Female: 15mm
- Male: 15mm
- 5 Year Angle Valve Warranty*



Elementi is Robertson Bathware's own unique brand. Born from decades of experience, Elementi is a synthesis of innovation and style.

*All guarantees are subject to terms and conditions and available on request or can be viewed at: www.robertson.co.nz/warranties

CONNECTOR HOSES

DON'T TAKE THE RISK!

Flexi water hoses can pose a serious risk, with the potential for failure that could have catastrophic consequences. Many insurance companies are now reluctant to cover incidents that arise from these failures. Despite their initial promise, braided stainless steel has proven inadequate in providing the necessary rust protection. Poor installation practices and exposure to chemicals can corrode the braiding over time, increasing the risk of the inner liners bursting.


NeoPerl Polyamide Connector Hoses offer the most advanced solution and use high strength, non-metallic, non-corrosive braiding similar to kevlar material used in bulletproof vests. Because they are not metal they will never rust, even when in extended contact with water-borne chemicals such as chlorine. They are stable and strong, don't kink and best of all they come with a 15 Year Rust Resistance Warranty*.



SOFTPEX® CONNECTOR HOSES

These SOFTPEX® flexible connector hoses consist of a novel PEX material, which has a much greater flexibility than traditional stiff PEX hoses whilst offering high resistance to pressure and temperature. The extraordinarily chemical resistant inner hose protects against additives to the drinking water like chlorine which helps in adhering to higher mechanical and hygienic standards.

SOFTPEX®
chemical resistant
inner hose



FEATURES:

- Approved Standard: AS/NZS 3499
- Leadfree
- EasyFix Design
- PA (Polyamide)
- Max. operating temperature 70°C
- Max. temperature 90°C
- Max. working pressure 10 bar 145 psi 1000KPa
- Outer diameter (braided) max. 11mm 0.43"
- Flow rate (300mm, 3 bar, open atmosphere) 28 l/min 7.4 gpm
- Watermark
- 15 Year Rust Resistant Warranty*
- 1 Year Guarantee*



NEOPERL

CONNECTOR HOSE 15MM X 10MM 300MM
CONNECTOR HOSE 10MM X 10MM 300MM
CONNECTOR HOSE 15MM F X 15MM F 300MM
CONNECTOR HOSE 15MM F X 15MM F 450MM
CONNECTOR HOSE 15MM F X 15MM F 600MM

CODE:

NFS20230711-51
NFS20230711-54
NFS20230824-51
NFS20230824-52
NFS20230824-53




NEOPERL

CONNECTOR HOSE EXTENSION 15F X 15M 150MM (PAIR)

CODE:

NFS20240725-58



NEOPERL

CONNECTOR HOSE 10MM X 15MM ELBOW 200MM
CONNECTOR HOSE 15MM X 15MM ELBOW 300MM
CONNECTOR HOSE 10MM X 10MM ELBOW 200MM

CODE:

NFS20240730-51
NFS20230816-52
NFS20230711-53



*All guarantees are subject to terms and conditions and available on request or can be viewed at: www.robertson.co.nz/warranties

robertson® trade

PARTS & SERVICE CENTRE

PH: +64 (0)9 573 0490
FAX: +64 (0)9 573 0495
EMAIL: parts@robertson.co.nz

ROBERTSONTRADE.CO.NZ



check
out our
NEW
website

robertson®

BATHWARE
— SINCE 1987 —

Ph: +64 (0)9 573 0490
Fax: +64 (0)9 573 0495
Email: sales@robertson.co.nz

ROBERTSON.CO.NZ

SHOWROOMS

A

AUCKLAND

ROBERTSON

25 Vestey Drive, Mt Wellington
Ph: (09) 573 0490

Open Monday to Friday 8am - 4.30pm
Saturday 9am - 2pm
Closed Sunday and public holidays

ROBERTSON TRADE CENTRE

42 Vestey Drive, Mt Wellington
Ph: (09) 573 0490

Open Monday to Friday 8am - 5pm

ROBERTSON OUTLET STORE

42 Vestey Drive
Mt Wellington, Auckland 1060
Email: sales@robertson.co.nz
By appointment only

W

WELLINGTON

ROBERTSON

23 Marion St, Te Aro
Ph: (04) 595 1165

Open Monday to Friday 8.30am - 5pm
Closed Saturday and Sunday

For a bathware consultation
please make an appointment by
emailing sales@robertson.co.nz

C

CHRISTCHURCH

HOME IDEAS

37 Mandeville Street Riccarton
Ph: (03) 348 2863

Open Monday to Friday 9am - 4pm
Saturday 10am - 2pm Sunday 10am - 2pm