
ELEMENTi[®]

UNO TAPWRE





Modern yet timeless, the cylindrical forms of the Uno collection unite to create a modern range of minimalist tapware, available in five popular finishes.

The addition of the Uno Etch handle offers an industrial aesthetic, with the cross cut texture providing additional grip for easier operation.



Uno Basin Mixer Finish: Brushed Nickel



UNO

UNO BASIN MIXER

35MM CARTRIDGE INCLUDES BASE RING LOW/UNEQUAL PRESSURE: WELS 6 STAR 4.5 L/MIN MAINS PRESSURE: WELS 5 STAR 5.5 L/MIN

CHROME 43951.02





BLACK:

RI ACK

43952.13



GUN METAL: 43951.29



43951.13



BRUSHED BRASS 43951.07



UNO EXTENDED HEIGHT BASIN MIXER

35MM CARTRIDGE INCLUDES BASE RING LOW/UNEQUAL PRESSURE: WELS 6 STAR 4.5 L/MIN MAINS PRESSURE: WELS 5 STAR 5.5 L/MIN















UNO WALL MOUNTED **BASIN MIXER**

35MM CARTRIDGE MAINS PRESSURE: WELS 4 STAR 7 L/MIN

NOTE: HANDLE POSITION CAN BE INSTALLED FACING UPRIGHT OR DOWNWARDS.

CHROME: 43955.02











UNO WALL MOUNTED **BATH MIXER**

35MM CARTRIDGE

NOTE:

HANDLE POSITION CAN BE INSTALLED FACING UPRIGHT OR DOWNWARDS.













UNO BATH SPOUT

Ø15MM X 221MM WALL MOUNTED FEMALE

CHROME: 41008.02





BLACK 41008.13



BRUSHED BRASS 41008.07



UNO BATH COLUMN

40MM CARTRIDGE MAINS PRESSURE: WELS 3 STAR 8L/MIN






BLACK:











PRECISE TEMPERATURE CONTROL

The Uno bath column uses a Progressive Cartridge and Intelligent Valve Technology (IVT) to adjust the water temperature with one rotational motion for precise temperature control.







Uno Wall Mounted Basin Mixer Finish: Brushed Brass



UNO

UNO SHOWER MIXER

Ø115 MULTI-PRESSURE 40MM CARTRIDGE

CHROME: **42970.02**



BRUSHED NICKEL: **42970.04**



GUN METAL: **42970.29**



BLACK: **42970.13**



BRUSHED BRASS: **42970.07**



UNO SHOWER MIXER

Ø90 MAINS PRESSURE 40MM CARTRIDGE

CHROME: **43370.02**



BRUSHED NICKEL: 43370.04



GUN METAL: **43370.29**



BLACK: **43370.13**



BRUSHED BRASS: 43370.07





UNO SHOWER MIXER

Ø65 MAINS PRESSURE 35MM METAL STEM CARTRIDGE

CHROME: **43670.02**



BRUSHED NICKEL: 43670.04



GUN METAL: **43670.29**



BLACK: **43670.13**



BRUSHED BRASS: 43670.07



UNO DIVERTER MIXER

Ø140 MAINS PRESSURE 40MM CARTRIDGE

CHROME: **42971.02**



BRUSHED NICKEL: 42971.04



GUN METAL: **42971.29**



BLACK: **42971.13**



BRUSHED BRASS: **42971.07**




MULTI-PRESSURE SHOWER VALVE

Elementi shower mixers also feature a multi-pressure valve that has been designed for New Zealand water pressures. It can easily be adjusted to balance your hot or cold flow rates, making the most of all your water flow to improve your showering experience.

30MM ADJUSTMENT RANGE

The Mains Pressure shower mixer features a 30mm adjustment range allowing for different installation requirements and thickness of wall/cladding materials.



OPTIONAL 13MM EXTENSION KIT


43mm of adjustment (to the back of faceplate) can be achieved using the 13mm extension kit.

Code: **43472.00**

Note: Compatible with 40mm Mains Pressure Valve only.




UNO PROGRESSIVE SHOWER MIXER Ø90 / MAINS PRESSURE BRUSHED GUN INCLUDES ROUND AND NICKEL METAI SQUARE FACEPLATE 43470.04 43470.29 40MM CARTRIDGE BRUSHED CHROME BLACK BRASS 43470.02 43470.07 43470.13



30MM ADJUSTMENT RANGE

The Mains Pressure shower mixer features a 30mm adjustment range allowing for different installation requirements and thickness of wall/cladding materials.



OPTIONAL 13MM EXTENSION KIT

43mm of adjustment (to the back of faceplate) can be achieved using the 13mm extension kit.

Code: 43472.00

Note: Compatible with 40mm Mains Pressure Valve only.



KITCHEN MIXERS

UNO KITCHEN MIXER

35MM CARTRIDGE
INCLUDES BASE RING
GOOSE NECK SWIVEL SPOUT
FORWARD ROTATING LEVER
LOW/UNEQUAL PRESSURE:
WELS 5 STAR 5.5 L/MIN
MAINS PRESSURE:
WELS 5 STAR 5.5 L/MIN

CHROME: **43930.02**



BRUSHED NICKEL: 43930.04

BLACK:

43930.13



GUN METAL: **43930.29**

BRUSHED

43930.07

BRASS





UNO PULL OUT KITCHEN MIXER

35MM CARTRIDGE
INCLUDES BASE RING
GOOSE NECK
FORWARD ROTATING LEVER
SWIVEL SPOUT WITH
PULL OUT SPRAY
2 SPRAY OPTIONS:
STANDARD AND VEGE SPRAY
MAINS PRESSURE:
WELS 4 STAR 6.5 L/MIN

CHROME: **43931.02**



BRUSHED NICKEL: 43931.04

BLACK:

43931.13



GUN METAL: **43931.29**



BRUSHED BRASS: 43931.07



UNO SQUARE KITCHEN MIXER

35MM CARTRIDGE
INCLUDES BASE RING
SWIVEL SPOUT
FORWARD ROTATING LEVER
LOW/UNEQUAL PRESSURE:
WELS 4 STAR 7 L/MIN
MAINS PRESSURE:
WELS 5 STAR 5.5 L/MIN

CHROME: **43935.02**



BRUSHED NICKEL: 43935.04

BLACK:

43935.13



GUN METAL: **43935.29**



BRUSHED BRASS: **43935.07**









25 Vestey Drive Mt Wellington, Auckland 1060

PO Box 14695, Panmure Auckland 1741, New Zealand

Ph: +64 9 573 0490 Fax: +64 9 573 0495 Email: sales@robertson.co.nz

ROBERTSON.CO.NZ



You can view and purchase our products nationwide from our supporting bathroom suppliers. To find your nearest location visit **ROBERTSON.CO.NZ** and click on the 'where to buy' link at the top of the page. Alternatively you can view products at our Robertson Bathware

Showrooms at the locations below.

SHOWROOMS



AUCKLAND

ROBERTSON

25 Vestey Drive, Mt Wellington Ph: (09) 573 0490

Open Monday to Friday 8.00am - 4.30pm Open Saturday 9.00am - 2.00pm Closed Sunday and public holidays

KITCHEN | LUXURY Things | Collection

26 Morrow Street, Newmarket Ph: (09) 522 8375

Open 7 days 10am - 6pm



ROBERTSON

23 Marion St, Te Aro Ph: (04) 595 1165

Open Monday to Friday 8.30am - 5pm Closed Saturday and Sunday



CHRISTCHURCH

HOME IDEAS

37 Mandeville Street Riccarton Ph: (03) 348 2863

Open Monday to Friday 9am - 4pm Saturday 10am - 2pm Sunday 10am - 2pm robertson

design.ideas

ROBERTSON DESIGN IDEAS

Email: designideas@robertson.co.nz

ROBERTSONDESIGNIDEAS.CO.NZ



robertson trade

ROBERTSON TRADE PARTS & SERVICE CENTRE

42 Vestey Drive Mt Wellington, Auckland 1060 Email: trade@robertson.co.nz

ROBERTSONTRADE.CO.NZ





ROBERTSON OUTLET STORE

42 Vestey Drive Mt Wellington, Auckland 1060 Email: outlet@robertson.co.nz By appointment only

www.trademe.co.nz/stores/robertson-bathware-outlet-store